RECEIVED CENTRAL FAX CENTER

FEB 2 7 2007

FAX COVER SHEET

PLEASE CONFIRM RECEIPT OF THIS FACSIMILE



Attention: MAIL STOP APPEAL BRIEF - PATENTS

Group Art Unit: 2618

Fax: (571) 273-8300

Examiner: Charles Chiang Chow

Supervisory Examiner: Edward Urban

UNITED STATES PATENT AND TRADEMARK OFFICE

Phone: (571) 272-7889

Pages: Cover + 1 + 1 + 1 + 1 + 1 + 23 = 29

Date: February 27, 2007

From: Georgann S. Grunebach

Fax: (310) 964-0941

Assistant General Counsel

Phone: (310) 964-4615

The information contained in this facsimile is confidential and may also contain privileged attorney-client information or work product. The information is intended only for the use of the individual or entity to which it is addressed. If you are not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any use, diesemination, distribution or copying of this communication is strictly prohibited. If you have received the facsimile in error, please immediately notify us by telephone, and return the original message to us at the address below via the U.S. Postal Service. Thank you.

CERTIFICATION UNDER 37 CFR 1.8

I hereby certify that the correspondence identified above is being facsimile transmitted to (571) 273-8300 (Centralized Facsimile Number), addressed to: Mail Stop Appeal Brief - Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on February 27, 2007.

Georgann & Grunebach, Reg. No. 33,179

February 27, 2007 (Date of Signature)

(Printed Name of Depositor)

Re:

Serial No.:

09/325,110

Filing Date: June 3, 1999

Attorney Docket No. PD-990033

Please find attached:

- TRANSMITTAL FORM PTO/SB/21 (1 page)
- NOTICE OF APPEAL FROM THE EXAMINER TO THE BOARD OF PATENT APPEALS AND INTERFERENCES PTO/SB/31 (1 page in duplicate)
- FEE TRANSMITTAL FORM PTO/SB/17 FOR FEE FOR FILING A BRIEF IN SUPPORT OF AN APPEAL (1 page in duplicate)
- ▶ BRIEF ON APPEAL (23 pages)

If you do not receive all pages, or pages are not clear, please call Karen Lum at (310) 964-0735.

The Directy Group, Inc., CA/LA1/A109, P. O. Box 956, El Segundo CA 90245

RECEIVED CENTRAL FAX CENTER

2002/029

FEB 2 7 2007

PTO/SB/21 (09-05)
Approved for use through 03/31/2007. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995 of	o persons are required to respond to a c Application Number			niess ji di	solava a valid OMB control number.	
		09/325.110	09/325.110			
TRANSMITTAL	Filing Date	June 3, 196	June 3, 1989			
FORM	First Named Inventor	Carl S. Ans	Carl S. Anselmo			
	Art Unit	2685				
(to be used for all correspondence after initial fili	Examiner Name	CHOW, Ch	CHOW, Charles Chlang			
200	Attorney Docket Number	PD-990033	PD-990033			
Total Number of Pages In This Submission 29						
ENCLOSURES (Check all that apply) After Allowance Communication to TC						
Fee Transmittal Form Fee Attached Amendment/Reply	Drawing(s) LicensIng-related Papers Petition			of Appe	Communication to Board sals and Interferences Communication to TC Notice, Brief, Reply Brief)	
After Final Affidavits/declaration(s)	Change of Correspondence	Provisional Application Power of Attorney, Revocation Change of Correspondence Address		Proprietary Information Status Letter Other Enclosure(s) (please Identify		
Extension of Time Request Express Abandonment Request Information Disclosure Statement	Terminal Disclaimer Request for Refund CD, Number of CD(s) Landscape Table on			below):		
Certified Copy of Priority Document(s) Reply to Missing Parts/ Incomplete Application Reply to Missing Parts under 37 CFR 1.52 or 1.53	Remarks					
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT						
Firm Name The Direct V Group, Ind. Signature						
Printed name						
Georgann S. Frunebach						
Date Februry 27, 2007	·	Reg. No.	33,179)		
CERTIFICATE OF TRANSMISSION/MAILING I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an experiope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on						
Signature						
Typed or printed name Georgann S Grunebach Date February 27, 2007						

This collection of Information is required by 37 CFR 1.5. The information is required to obtain or retain a benafit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the Individual case. Any comments on the amount of time you require to complete this form end/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

FEB 2 7 2007 PTO/SB/17 (02-07) Approved for use through 02/28/2007, OMB 0851-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB combot number Effective on 12/08/2004. Complete If Known Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818). 09/325,110 Application Number TRANSMITT June 3, 1999 Filing Date For FY 2007 First Named Inventor Carl S. Anselmo **Examiner Name** CHOW, Charles Chiang Applicant claims small entity status. See 37 CFR 1.27 Art Unit 2685 **TOTAL AMOUNT OF PAYMENT** 500 Aftorney Docket No PD-990033 METHOD OF PAYMENT (check all that apply) Check Credit Card Money Order None Other (please identify): Deposit Account Deposit Account Number: 50-0383 Deposit Account Name: The DirecTV Group, Inc. For the above-identified deposit account, the Director is hereby authorized to: (check all that apply) ✓ Charge fee(s) indicated below Charge fee(s) indicated below, except for the filing fee Charge any additional fee(s) or underpayments of fee(s) 1 Credit any overpayments under 37 CFR 1.16 and 1.17 WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card Information and authorization on PTO-2038. **FEE CALCULATION** 1. BASIC FILING, SEARCH, AND EXAMINATION FEES **FILING FEES SEARCH FEES EXAMINATION FEES** Small Entity Small Entity Small Entity Fees Paid (\$) **Application Type** Fee (\$) Fee (\$) Fee (\$) Fee (\$) Fee (\$) Fee (\$) Utility 300 500 200 150 250 100 Design 200 100 130 100 50 65 Plant 200 100 300 160 150 80 Reissue 300 600 150 500 250 300 **Provisional** 200 100 n Ô 0 2. EXCESS CLAIM FEES Small Entity Fee Description Fee (\$) Fee (\$) 25 Each claim over 20 (including Reissues) 50 200 100 Each independent claim over 3 (including Reissues) Multiple dependent claims 180 360 Total Claims Multiple Dependent Claims Extra Claims Fee Paid (\$) Fee (\$) - 20 or HP = Fee Paid (\$) Fee (\$) HP = highest number of total claims paid for, if greater than 20. Indep. Claims Extra Claims Fee (\$) Fee Pald (\$) • 3 or HP = HP = highest number of independent claims paid for, if greater than 3. APPLICATION SIZE FEE If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(c)), the application size fee due is \$250 (\$125 for small entity) for each additional 50 Fee Paid (\$) Fee (\$) - 100 = / 50 = _ (round up to a whole number) x 4. OTHER FEE(S) Fees Paid (\$) Non-English Specification, \$130 fee (no small entity discount) Other (e.g., late filing surcharge): Fee for filing a brief in support of an appeal \$500 SUBMITTED BY Registration No. 33,179 Теlерһоле 310-964-4615 (Attomey/Agent)

Signature Name (Print/Type) சூற்றுவார Date February 27, 2007 Grunebach

This collection of information is dequired by 37 CFR 1.138. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiallty is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the including case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Department of Commerce, P.O. Box 1460, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

if you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Ø 007/029

FEB 2 7 2007

CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to (571)-273-8300 (Centralized Facsimile Number), addressed to: Mail Stop Appeal Brief-Patents, Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450, on February 27, 2007. (date of facsimile transmission)

Georgann/S. Grunebach (Name Registered Representative)

(Signature)

February 27, 2007 (Date of Signature)

Customer Number 020991

Patent PD-990033

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Appellant:

Reg. No.

Carl S. Anselmo

Serial No:

09/325,110

Group Art Unit: 2685

Filed:

06/03/99

Examiner: Chow, Charles Chiang

Title:

METHOD AND SYSTEM FOR PROVIDING SATELLITE COMMUNICATIONS USING ON-ORBIT PAYLOAD

CONFIGURATION AND RECONFIGURATION

BRIEF ON APPEAL

Mail Stop Appeal Brief - Patents Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Sir:

The following Appeal Brief is submitted in response to the Notice of Appeal filed concurrently herewith.

02/28/2007 HVUDNG1 00000048 500383 09325110

01 FC:1402

500.00 DA

RECEIVED CENTRAL FAX CENTER

FEB 2 7 2007

U.S.S.N. 09/325,110

1

PD-990033

Ø 008/029

I. Real Party in Interest

The real party in interest in this matter is The DIRECTV Group, Inc., of El Segundo, California which is 34 percent owned by Fox Entertainment Group, which is approximately 82 percent owned by The News Corporation, Limited.

II. Related Appeals and Interferences

There are no other known appeals or interferences which will directly affect or be directly affected by or have bearing on the Board's decision in the pending appeal.

III. Status of the Claims

Claims 1-8, 11, 12, 15-18 and 21-31 stand rejected in the Final Office Action. Claims 9-10, 13-14 and 19-20 have been canceled.

IV. Status of Amendments

There have been no amendments filed subsequent to the Advisory Action dated February 6, 2007.

V. Summary of Claimed Subject Matter

Claim 1 is directed to a system 300 that is generally illustrated in Figure 1. The preamble of claim 1 is directed to a system 300 for providing high frequency data communications in a satellite-based communication network 306. The system 300 includes a plurality of communication satellites 302, each having uplink antennas 314 and downlink antennas 316 capable of receiving and transmitting a plurality of signals. Each of the satellites 302 has a communication control circuit 318. The general satellite system 300, the satellites 302 and the communication network 306 are described in the paragraph bridging pages 4 and 5. A communication control circuit 318 is described in the last two paragraphs of page 5.

FEB 2 7 2007

U.S.S.N. 09/325,110

3

PD-990033

The system includes at least one of the satellites being a reconfigurable satellite 304. The reconfigurable satellite 304 is first described in the paragraph bridging pages 4 and 5.

The reconfigurable satellite 304 has a programmable frequency synthesizer 340 coupled to an up converter 336 and a down converter 332 is described on lines 13-17 of page 6. The reconfigurable satellite 304 further includes a routing table 372. The routing table 372 stores tuning information therein. The routing table 372 is described on page 8, lines 15-20.

The reconfigurable satellite 304 also includes a controller 342 coupled to the communication control circuit 318. The controller 342 controls a frequency reconfiguration of the communication control circuit 318 from a first frequency range to a second frequency range through the programmable frequency synthesizer 340 in response to the tuning information. This is described on lines 14-20 of page 8.

Claims 2-5 stand or fall together with claim 1.

Claim 6 recites that the communication control circuit 318 comprises a time division multiple access switch 352 described on page 7, second full paragraph, and illustrated in Figure 3.

Claim 7 recites that the communication control circuit 318 comprises a packet switch. A packet switch is illustrated in Figure 4 and described on page 8, line 26.

Claim 8 stands or falls together with claim 1.

Claims 11 and 12 ultimately depend from claim 15. Claims 11 and 12 ultimately stand or fall together with claim 15.

Claim 15 is another independent claim. Claim 15 recites a receive array 320 and a receive beam forming network 324. Claim 15 further recites a transmitter array 322 and a

4

PD-990033

transmit beam forming network 328. The above four elements are described in the last two paragraphs of page 5 and are illustrated in Figure 2.

Claim 15 further recites a communication control circuit 318 for controlling communications of the satellite 302, 304. The communication control circuit 318 is an up converter and a down converter. Claim 15 further recites a reconfiguration circuit that includes an on-board computer and a routing table 372 in a similar fashion to claim 1.

Claims 16 and 17 correspond directly to claims 6 and 7 and, thus, will not be further described here.

Claim 18 is an independent method claim that includes deploying a reconfigurable satellite, transmitting reconfiguration instructions to the satellite 304, a frequency configuration of the payload of the reconfigurable satellite 304 in response to tuning information in a routing table 372 by changing an up converter frequency and down converter frequency using a programmable frequency synthesizer 340. The routing table 372 and the programmable frequency synthesizer 340 are all illustrated in Figure 3.

Claim 18 further recites repositioning a satellite from a network position and moving the reconfigurable satellite into the network position. The movement of the satellite is described in the second full paragraph of page 9.

Claim 21 recites that the step of reconfiguring a satellite comprises changing the amplitude or phase coefficients of a transmit and receive beam. This is described in the paragraph bridging pages 8 and 9.

Claim 22 recites the further step of storing tuning information in a routing table. This is described at the end of the second full paragraph on page 8.

5

PD-990033

Claim 23 recites the step of reconfiguring the payload comprises changing the amplitude or phase coefficients of a beam in response to the tuning information in the routing table. This is described in the second full paragraph of page 8 and in the paragraph bridging pages 8 and 9.

Claims 24 and 25 recite that moving the satellite is performed using east/west station-keeping and north/south station-keeping, respectively. This is specifically described on lines 10-14 of page 9.

Claim 26 recites the step of updating the routing table 372 from an order wire. This is described on the first line of page 9.

Claim 27 recites updating the routing table 372 from an RF control channel. This is described also on the first line of page 9.

Claim 28 is another independent claim directed to a method of configuring a satellite. Claim 8 recites deploying a reconfigurable satellite, storing frequency tuning information in a routing table 372. Storing the information in a routing table 372 is described in the first two full paragraphs of page 8. Claim 28 also recites transmitting reconfiguration instructions to the satellite which is described in the paragraph bridging pages 8 and 9 and reconfiguring the frequency configuration of the payload of the reconfigurable satellite in response to the tuning information in the routing table 372 by changing an up converter frequency and a down converter frequency using a programmable frequency synthesizer 340. This is described on lines 16-19 of page 6.

Claim 29 recites reconfiguring the payload comprises changing the amplitude or phase coefficients of a beam in response to the tuning information in the routing table 372. This is similar to claim 23 described above. This is described in the second full paragraph of page 8 and in the paragraph bridging pages 8 and 9.

6

PD-990033

Claim 30 recites updating the routing table 372 from an order wire. This is described in claim 26 above (page 9, line 1).

Claim 31 recites updating the routing table 372 from an RF control channel. This is described in claim 27 above (page 9, line 1).

VI. Grounds of Rejection to be Reviewed on Appeal

The following issues are presented in this appeal:

Whether Claims 1 and 3-5 are unpatentable under 35 U.S.C. §103(a) over *Hammill et al.* (6,173,178) in view of *Floury et al.* (5,963,845) and *Siwiak* (5,640,166).

Whether Claim 2 is unpatentable under 35 U.S.C. §103(a) over Hammill et al. (6,173,178) in view of Floury et al. (5,963,845) and Siwiak (5,640,166) in further view of Wiswell (6,205,319).

Whether Claims 6-7 are unpatentable under 35 U.S.C. §103(a) over *Hammill et al.* (6,173,178) in view of *Floury et al.* (5,963,845) and *Siwiak* (5,640,166) in further view of *Brown* (6,157,621).

Whether Claim 8 is unpatentable under 35 U.S.C. §103(a) over *Hammill et al.* (6,173,178) in view of *Floury et al.* (5,963,845) and *Siwiak* (5,640,166) in further view of *Galvin* (6,182,927).

Whether Claims 11, 12 and 15 are unpatentable under 35 U.S.C. §103(a) over Floury et al. (5,963,845), Wolcott (6,317,583) and Siwiak (5,640,166).

Whether Claims 16 and 17 are unpatentable under 35 U.S.C. §103(a) over Floury et al. (5,963,845), Wolcott (6,317,583) and Siwiak (5,640,166) in further view of Brown (6,157,621).

Whether Claims 18 and 28 are unpatentable under 35 U.S.C. §103(a) over Floury et al. (5,963,845) and Siwiak (5,640,166) in further view of Pizzicaroli (5,813,634).

7

PD-990033

Whether Claims 21-27 and 29-31 are unpatentable under 35 U.S.C. §103(a) over Floury et al. (5,963,845), Wolcott (6,317,583) and Siwiak (5,640,166) in further view of Pizzicaroli (5,813,634) and Brown (6,157,621).

VII. Argument

The rejection of Claims 1-3 and 5 under 35 U.S.C. §103(a) over *Hammill et al.* (6,173,178) in view of *Floury et al.* (5,963,845) and *Siwiak* (5,640,166)

Independent Claim 1

The independent claims were amended to recite that the frequency range is changed from a first frequency range to a second frequency range using the programmable frequency synthesizer. This amendment was to clarify the claims. Satellites typically operate over a particular frequency range. Different beams use different frequencies within the frequency range to operate so that interference between the beams is not formed. One difference between the present claims and the cited art, as will be described below, is the capability of controlling a frequency reconfiguration of the communication circuit from a first frequency range to a second frequency range using a programmable frequency synthesizer in response to tuning information from a routing table. This allows the satellite to be reconfigured quickly and conveniently.

The Hammill reference is cited for being a reconfigurable satellite. It is clear that the tuning information of the present application is used to tune the frequency through the controller. That is, the controller of Claim 1 controls "a frequency reconfiguration of the communication control circuit through the programmable frequency synthesizer." No frequency reconfigurations of beams are set forth. In column 4, lines 20-25 state, "A phased array antenna may also be used to generate the beams, and also provides the ability to reconfigure the antenna on the fly to transmit beams of varying sizes." While the size of the beams may be changed, no

RECEIVED CENTRAL FAX CENTER

FEB 2 7 2007

U.S.S.N. 09/325,110

8

PD-990033

20014/029

teaching or suggestion is provided for changing the frequency of the beams in response to a programmable frequency synthesizer and a routing table. In column 4, lines 23-25, the *Hammill* reference states "FIGS. 2-7 illustrate the beams of various frequencies and polarizations constituting the projection shown in FIG. 1." Appellants respectfully submit that this also does not teach frequency reconfiguration. As mentioned above, operating beams over a range of frequencies is known. This sentence merely describes a well-known practice and does not describe using a completely different frequency range.

The Examiner then goes on to state that the *Hammill* reference fails to teach the frequency synthesizer, a routing table, and a controller for controlling a frequency reconfiguration. Appellants agree.

The Examiner then cites the *Floury* reference for teaching a programmable frequency synthesizer. Appellants agree that a frequency synthesizer adapted to be controlled by a command line from the ground station to the controlled input is set forth.

The Examiner then goes on to state that the Hammill and Floury references fail to teach a routing table and a controller located on the satellite coupled to said communication control circuit. Appellants agree. The Siwiak reference is cited for this teaching. What is not taught in the Siwiak reference is controlling a frequency reconfiguration of the communication control circuit from a first frequency range to a second frequency range. The Examiner cites Table 1 in the Siwiak reference for teaching a routing table. The table and the corresponding text are in column 2, line 41 through column 3, line 42. Appellants respectfully submit that the Doppler compensation table illustrated in the Siwiak reference is not a routing table. The table merely provides the Doppler frequency value associated with the beam to a frequency synthesizer for compensating for the Doppler frequency shift associated with the beam being utilized. This is

9

PD-990033

set forth in column 3, lines 22 through 26. A routing table is known in the art for controlling or routing beams through the satellite and satellite system. Even if Table 1 is considered a routing table, other differences between the claims and the Siwiak references are evident.

The Examiner cites column 2, line 41 through column 3, line 42 and Figure 2 for teaching a controller that controls a frequency reconfiguration of the communication control circuit from a first frequency range to a second frequency range through the programmable frequency synthesizer in response to the tuning information. Appellants respectfully submit that the Siwiak reference does not teach or suggest this. As mentioned above, the table is a Doppler shift table. One thing to notice is that the Doppler compensation values are in the kilohertz range. A typical satellite uses frequencies in the gigahertz range. Thus, the kilohertz range is only a minor shift. Also, by observing the values in the table, the Doppler compensation values are both positive values and negative values. Some of the beams have the frequency increased while other beams have the frequency decreased. Appellants respectfully submit that the two frequency ranges are not taught or suggested. In fact, because of the positive and negative changes or Doppler shifting values, the same frequency range is generally provided. Thus, two frequency ranges are not taught or suggested. This is further enhanced by the amount of any one of the frequency changes which are all relatively low. Thus, no teaching or suggestion is found in the Siwiak reference for a frequency reconfiguration from a first frequency range to a second frequency range through a programmable frequency synthesizer in response to the tuning information from a routing table.

Therefore, because each and every reference fails to at least "said controller controlling a frequency reconfiguration of said communication control circuit from a first frequency range to a second frequency range through said programmable frequency synthesizer in response to tuning

10

PD-990033

information from the routing table," Appellants respectfully requests the Examiner for a reconsideration of the rejection of Claim 1.

Dependent Claims 3-5

Claims 3-5 stand or fall together with independent claim 1.

The rejection of Claim 2 under 35 U.S.C. §103(a) over *Hammill et al.* (6,173,178) in view of *Floury et al.* (5,963,845) and *Siwiak* (5,640,166) in further view of *Wiswell* (6,205,319)

Dependent Claim 2

Claim 2 stands or falls together with independent claim 1.

The rejection of Claims 6-7 under 35 U.S.C. §103(a) over *Hammill et al.* (6,173,178) in view of *Floury et al.* (5,963,845) and *Siwiak* (5,640,166). in further view of *Brown* (6,157,621)

Dependent Claim 6

Claim 6 depends from Claim 1. The *Brown* reference also does not teach or suggest the elements missing from Claim 1. Appellants, therefore, respectfully request the Board to reverse this rejection.

Dependent Claim 7

Brown does describe a packet switch but only mentions TDMA, not the use of a TDMA switch. Appellants, therefore, respectfully request the Board to Reverse this rejection as well.

The rejection of Claim 8 under 35 U.S.C. §103(a) over *Hammill et al.* (6,173,178) in view of *Floury et al.* (5,963,845) and *Siwiak* (5,640,166) in further view of *Galvin* (6,182,927)

Dependent Claim 8

Claim 8 stands or falls together with claim 1.

The rejection of Claims 11, 12 and 15 under 35 U.S.C. §103(a) over Floury et al. (5,963,845), Wolcott (6,317,583) and Siwiak (5,640,166)

Dependent Claims 11 and 12

Claims 11 and 12 depend from claim 15 and stand or fall together with claim 15.

11

PD-990033

Independent Claim 15

Claim 15 is an independent claim and recites "A payload circuit for a satellite comprising: a receive array; a receive beam forming network; a transmit array; a transmit beam forming network; a communications control circuit for controlling communications of said satellite, said communications control circuit being an up converter and a down converter; and a reconfiguration circuit coupled to the communications control circuit for reconfiguring the communications control circuit, said reconfiguration circuit comprising a programmable frequency synthesizer coupled to the up converter and down converter, an on-board computer and a routing table having tuning information stored therein, said on-board computer controlling a reconfiguration of said communications control circuit from a first frequency range to a second frequency range through said programmable frequency synthesizer in response to said tuning information."

Claim 15 is similar to Claim 1 in that the reconfiguration circuit comprises a programmable frequency synthesizer coupled to the up converter and down converter and a routing table having tuning information therein. The onboard computer controls the reconfiguration of the communications control circuit through the programmable frequency synthesizer in response to the tuning information. As mentioned above with respect to claim 1, Floury and Siwiak do not teach or suggest the programmable frequency synthesizer and routing table combination. The Wolcott reference is not set forth for these teachings. The Wolcott reference also does not teach or suggest these missing elements. Although a selectable frequency is illustrated with respect to a synthesizer, the Wolcott reference also does not teach or suggest a programmable frequency synthesizer in combination with a routing table. Therefore,

12

PD-990033

Claim 15 is also believed to be allowable over the combination of the *Floury, Wolcott* and *Siwiak* references.

The rejection of Claims 16 and 17 under 35 U.S.C. §103(a) over Floury et al. (5,963,845), Wolcott (6,317,583) and Siwiak (5,640,166) in further view of Brown (6,157,621)

Dependent Claims 16 and 17

Claims 16 and 17 depend from claim 15. None of these four references teaches or suggests a controller that controls a frequency reconfiguration from a first frequency range to a second frequency range through the programmable frequency synthesizer in response to the tuning information.

The rejection of Claims 18 and 28 is unpatentable under 35 U.S.C. §103(a) over Floury et al. (5,963,845) and Siwiak (5,640,166) in further view of Pizzicaroli (5,813,634)

Dependent Claims 18 and 28

Claim 18 is a method claim and recites "reconfiguring the frequency configuration of the payload of the reconfigurable satellite in response to the tuning information in the routing table by changing an up converter frequency and down converter frequency from a first frequency range to a second frequency range using a programmable frequency synthesizer."

Claim 28 is a method claim that recites "storing frequency tuning information in a routing table" and "reconfiguring the frequency configuration of the payload of the reconfigurable satellite in response to the tuning information in the routing table by changing an up converter frequency and down converter frequency from a first frequency range to a second frequency range using a programmable frequency synthesizer."

The *Pizzicaroli* reference also does not teach or suggest reconfiguring the frequency configuration of the payload of the reconfigurable satellite in response to the tuning information or routing table by changing an up converter and a down converter frequency using a

13

PD-990033

reprogrammable frequency synthesizer. Claim 28 is similar to Claims 1 and 15 in that the reconfiguration is performed in response to the tuning information in the routing table.

The rejection of Claims 21-27 and 29-31 under 35 U.S.C. §103(a) over *Floury et al.* (5,963,845), *Wolcott* (6,317,583) and *Siwiak* (5,640,166) in further view of *Pizzicaroli* (5,813,634) and *Brown* (6,157,621)

Dependent Claim 21

As mentioned above, the *Floury*, *Siwiak*, *Pizzicaroli* and *Brown* references do not teach or suggestion reconfiguring the frequency reconfiguration of the payload of the reconfigurable satellite in response to the tuning information in the routing table by changing an up converter frequency and a down converter frequency using a programmable frequency synthesizer. Appellants, therefore, respectfully request the Board to reverse the Examiner's rejection of Claims 21-27 and 29-31.

More specifically, claim 21 recites that the step of reconfiguring a satellite in claim 18 comprises changing the amplitude or phase coefficients of a transmit and receive beam. The base step of reconfiguring in claim 18 recites reconfiguring the frequency configuration of the payload of the reconfigurable satellite in response to the tuning information in a routing table by changing an up converter and down converter frequency using a programmable frequency synthesizer. Appellants admit that steering beams using amplitude or phase coefficients is known. However, the Examiner fails to allege that any of the three references teaches that reconfiguring a satellite comprises changing the amplitude or phase coefficients of a transmit and receive beam in response to tuning information in a routing table. Appellants, therefore, respectfully request the Board to reverse the Examiner's position with respect to claim 21.

Ø 020/029

FEB 2 7 2007

U.S.S.N. 09/325,110

14

PD-990033

Dependent Claim 22

Claim 22 recites the further step of storing tuning information in a routing table. This claim stands or falls together with claim 18.

Dependent Claim 23

Claim 23 recites that the step of reconfiguring the payload comprises changing the amplitude or phase coefficients of a beam in response to the tuning information in a routing table. Claim 23 is more specific than claim 21 described above. Claim 21 recites that the amplitude or phase coefficients are changed in response to the tuning information in the routing table. As mentioned above, there is no teaching or suggestion provided by the Examiner for the combination of the amplitude or phase coefficients in the step of reconfiguring. Therefore, Appellants respectfully submit that claim 23 is also allowable for the same reasons set forth above with respect to claim 21.

Dependent Claims 24 and 25

Claims 24 and 25 stand or fall together with independent claim 18.

Dependent Claim 26

Claim 26 recites that the routing table is updated from an order wire. The Examiner points to column 43, lines 46 to column 44, line 9, and column 49, lines 10-20 for this teaching. Appellants can find no teaching or suggestion for an order wire in these passages. Therefore, claim 26 is believed to be allowable.

Dependent Claim 27

The Examiner also points to the same sections with respect to claim 26 for the RF control channel. Appellants can find no teaching or suggestion for an RF control channel in these passages as well. Therefore, claim 27 is believed to be allowable.

RECEIVED
CENTRAL FAX CENTER

Ø 021/029

FEB 2 7 2007

U.S.S.N. 09/325,110

15

PD-990033

Dependent Claim 29

Claim 29 is similar to claim 23 above. As mentioned above, there is no teaching or suggestion provided in the references for this proposition.

Dependent Claim 30

Dependent claim 30 corresponds to claim 26 and is believed to be allowable for the same reasons set forth above.

Dependent Claim 31

Claim 31 corresponds to claim 27 described above and is believed to be allowable for at least the same reasons.

Conclusion

For the foregoing reasons, Appellants respectfully request that the Board direct the Examiner in charge of this examination to withdraw the rejections.

Please charge any fees required in the filing of this appeal to deposit account 50-0383.

Respectfully submitted,

Dated: February 27, 2007

Georgann . Grunebach, Reg. No. 33,179

Attorney for Appellants

The DIRECTV Group, Inc. CA/LA1/A109
2230 East Imperial Highway

P.O. Box 956

El Segundo, CA 90245

Telephone: (310) 964-4615

RECEIVED CENTRAL FAX CENTER

Ø 022/029

FEB 2 7 2007

U.S.S.N. 09/325,110

16

PD-990033

VIII. CLAIMS APPENDIX

1. A system for providing high frequency data communications in a satellite-based communications network, the system comprising:

a plurality of communications satellites each having uplink and downlink antennas capable of receiving and transmitting a plurality of signals, each of said satellites having a communication control circuit;

at least one of said satellites being a reconfigurable satellite having a programmable frequency synthesizer coupled to an up converter and a down converter of a communications control circuit;

a routing table storing tuning information therein;

a controller located on said satellite coupled to said communications control circuit, said controller controlling a frequency reconfiguration of said communications control circuit from a first frequency range to a second frequency range through said programmable frequency synthesizer in response to said tuning information.

- 2. A system as recited in claim 1 wherein each of said satellites further comprising a beam forming network coupled to said uplink and downlink antennas.
- 3. A system as recited in claim 1 wherein said communications control circuit comprises an up converter and a down converter.
- 4. A system as recited in claim 1 wherein said communications control circuit comprises a transponder.

17

PD-990033

- 5. A system as recited in claim 4 wherein said transponder comprises an up converter and a down converter.
- 6. A system as recited in claim 1 wherein said communications control circuit comprises a time division multiple access switch.
- 7. A system as recited in claim 1 wherein said communications control circuit comprises a packet switch.
- 8. A system as recited in claim 1 wherein said plurality of communications satellites have an orbit selected from the group consisting of a LEO, MEO and GSO.
- 11. A payload circuit as recited in claim 15 wherein said communications control circuit comprises a transponder.
- 12. A payload circuit as recited in claim 11 wherein said transponder comprises the up converter and the down converter.

18

PD-990033

- 15. A payload circuit for a satellite comprising:
- a receive array;
- a receive beam forming network;
- a transmit array;
- a transmit beam forming network;
- a communications control circuit for controlling communications of said satellite, said communications control circuit being an up converter and a down converter; and
- a reconfiguration circuit coupled to the communications control circuit for reconfiguring the communications control circuit, said reconfiguration circuit comprising a programmable frequency synthesizer coupled to the up converter and down converter, an on-board computer and a routing table having tuning information stored therein, said on-board computer controlling a reconfiguration of said communications control circuit from a first frequency range to a second frequency range through said programmable frequency synthesizer in response to said tuning information.
- 16. A payload circuit as recited in claim 15 wherein said communications control circuit comprises a time division multiple access switch.
- 17. A payload circuit as recited in claim 15 wherein said communications control circuit comprises a packet switch.

19

PD-990033

18. A method of configuring a satellite system having a plurality of satellites comprising the steps of:

deploying a reconfigurable satellite;

transmitting reconfiguration instructions to said satellite;

reconfiguring the frequency configuration of the payload of the reconfigurable satellite in response to the tuning information in a routing table by changing an up converter frequency and down converter frequency from a first frequency range to a second frequency range using a programmable frequency synthesizer;

repositioning a satellite from a network position; and moving the reconfigurable satellite into the network position.

- 21. A method as recited in claim 18 wherein the step of reconfiguring a satellite comprises changing the amplitude or phase coefficients of a transmit and receive beam.
- 22. A method as recited in claim 18 further comprising storing tuning information in a routing table.
- 23. A method as recited in claim 18 wherein the step of reconfiguring the payload comprises changing the amplitude or phase coefficients of a beam in response to the tuning information in the routing table.
- 24. A method as recited in claim 18 wherein moving the reconfigurable satellite is performed using east/west station keeping.

CENTRAL FAX CENTER

FEB 2 7 2007

U.S.S.N. 09/325,110

20

PD-990033

- 25. A method as recited in claim 18 wherein moving the reconfigurable satellite is performed using north/south station keeping.
- 26. A method as recited in claim 18 further comprising updating the routing table from an order wire.
- 27. A method as recited in claim 18 further comprising updating the routing table from an RF control channel.
 - 28. A method of configuring a satellite comprising:

deploying a reconfigurable satellite;

storing frequency tuning information in a routing table;

transmitting reconfiguration instructions to said satellite;

reconfiguring the frequency configuration of the payload of the reconfigurable satellite in response to the tuning information in the routing table by changing an up converter frequency and down converter frequency from a first frequency range to a second frequency range using a programmable frequency synthesizer.

A method as recited in claim 28 wherein the step of reconfiguring the payload 29. comprises changing the amplitude or phase coefficients of a beam in response to the tuning information in the routing table.

21

PD-990033

- 30. A method as recited in claim 28 further comprising updating the routing table from an order wire.
- 31. A method as recited in claim 28 further comprising updating the routing table from an RF control channel.

22

PD-990033

IX. Evidence Appendix

NONE

23

PD-990033

X. Related Proceedings Appendix

NONE